UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/535,673	05/12/2006	Pierre Fagard	4590-402	7671
LOWE HAUPTMAN HAM & BERNER, LLP 1700 DIAGONAL ROAD, SUITE 300			EXAMINER	
			CHOW, YUK	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2629	
			MAIL DATE	DELIVERY MODE
			04/28/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/535,673	FAGARD, PIERRE				
Office Action Summary	Examiner	Art Unit				
	YUK CHOW	2629				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>28 S</u>	eptember 2009.					
	action is non-final.					
· <u> </u>	, <del></del>					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-17</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-17</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
<ul><li>2. Certified copies of the priority documents have been received in Application No</li></ul>						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
Information Disclosure Statement(s) (PTO/SB/08)   Notice of Informal Patent Application   Paper No(s)/Mail Date   Other:						

Application/Control Number: 10/535,673 Page 2

Art Unit: 2629

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aihara et al. (US Patent 5,754,268) in view of Troxell et al (US 2004/0080486 A1).

As to **claim 1**, Aihara discloses a display device, the surface of the device being rendered touch-sensitive, the device comprising:

a first dedicated part having two insulating plates (Fig. 11(31,36)),

a layer of material exhibiting electro-optical properties (Fig. 11(33,34)) suitable for rendering all or part of its surface visible under the effect of an electrical control signal (Fig. 3(37)), the layer being disposed between the two plates (see Col. 6 line 57-Col. 7 line 12),

at least one first electrode (Fig. 11(32)) having the shape of a pictogram (see Fig. 10, segments having the shape of pictogram), the at least one first electrode being disposed on a face of one of the insulating plates (Fig. 11(31)),

a second electrode (Fig. 11(35)) disposed on a face of the other insulating plate (Fig. 11(36)) opposite at the least one first electrode,

wherein the electrical control signal (see Fig. 3(37)) is applied between first and second electrodes.

wherein the surface area of the second electrode is greater than the surface area or the sum of the surface areas of the first electrode (surface area in Fig. 11(35) is greater than (32)).

Page 3

However, Aihara does not teach that the second electrode is used as responsive element of the touch-sensitive surface of the device, in that the surface area of second electrode is at least 9 mm<sup>2</sup>.

Troxell discloses a transparent overlay touch-sensitive input device, wherein teaches the surface are of a second electrode (Fig. 4(414)) is greater than the sum of the surface area of first electrode (Fig. 4(408A)) and a typical electrode may be approximate the size of fingertip, 1.3 cm<sup>2</sup> [0036].

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to incorporate touch-sensitive input device as in Troxell into the display device of Aihara, and having at lease 9 mm² for a touch sensitive, because for achieving variations in sensing sensitivity (see Troxell [0037]), and to design electrode size to be at lease 9 mm² for a touch sensitive application due to practical reason as suggested as well by Troxell in [0036].

As to **claim 2**, Aihara and Troxell disclose a device as claimed in claim 1, wherein the first electrode is fed electrically by a pad in that the second electrode is profiled opposite the pad (See Troxell Fig. 6, all electrode are electrically connected by pads).

As to **claim 3**, Aihara and Troxell disclose a device as claimed in 1, wherein it comprises several second electrodes, and in that each second electrode is fed separately (see Troxell Fig. 6 all second electrodes are fed separately).

As to **claim 4**, Aihara and Troxell disclose a device as claimed in claim 1, wherein the pattern of the second electrode covers substantially a circle of at least 9 mm in diameter (see Troxell Fig. 1(106) also see [0036]).

As to **claim 5**, Aihara and Troxell disclose a device as claimed in claim 1, wherein it comprises a second non-dedicated part (see Troxell Fig. 5(502-512), see [0032]).

As to **claim 6**, Aihara and Troxell disclose a device as claimed in claim 5, wherein the second non-dedicated part is arranged in the form of a matrix with row-wise and column-wise addressing (see Troxell Fig. 5 (502-512) forms 2x3 matrix).

As to **claim 7**, Aihara and Troxell disclose a device as claimed in claim 2, wherein it comprises several second electrodes, and in that each second electrode is fed separately (see Troxell Fig. 6).

As to **claim 8**, Aihara and Troxell disclose a device as claimed in claim 2, wherein the pattern of the second electrode covers substantially a circle of at least 9 mm in diameter (see Troxell [0036]).

As to **claim 9**, Aihara and Troxell disclose a device as claimed in claim 3, wherein the pattern of the second electrode covers substantially a circle of at least 9 mm in diameter (see Troxell [0036]).

As to **claim 10**, Aihara and Troxell disclose a device as claimed in claim 2, wherein it comprises a second non-dedicated part (see Troxell Fig. 5(502-512), see [0032]).

As to **claim 11**, Aihara and Troxell disclose a device as claimed in claim 3, wherein it comprises a second non-dedicated part (see Troxell Fig. 5(502-512), see [0032]).

As to **claim 12**, Aihara and Troxell disclose a device as claimed in claim 4, wherein it comprises a second non-dedicated part (see Troxell Fig. 5(502-512), see [0032]).

As to **claim 13**, Aihara and Troxell disclose a device as claimed in claim 1, wherein the electrical control signal comprises a first electrical signal and which further comprises a second electrical signal which is applied to one of first and second electrodes and which is configured to enable proximity detection of a digit by capacitive effect (see Troxell [0008]).

As to **claim 14**, Aihara and Troxell disclose a device as claimed in claim 13, wherein the first signal is low frequency signal (Aihara Fig. 4( and the second signal is a high frequency signal (see Troxell [0025]-[0028]).

As to **claim 15**, Aihara and Troxell disclose a device as claimed in claim 13, wherein the first signal is low frequency signal of about 100 Hz and the second signal is a high frequency signal of about 2MHz (See Troxell [0025], e.g. an AC signal having a frequency less than 1 MHz).

Application/Control Number: 10/535,673 Page 6

Art Unit: 2629

As to **claim 16**, Aihara and Troxell disclose a device as claimed in claim 13, wherein application of a high frequency second electrical control signal, onto the second electrode, enables detection of the digit by analyzing a change in the high frequency signal in the second due to an existence of a capacitance created between the digit and the second electrode (See Troxell [0008]).

As to **claim 17**, Aihara and Troxell disclose a device as claimed in claim 16, wherein the digit comprises a finger (see Troxell's Abstract).

## Response to Arguments

3. Applicant's arguments with respect to claim1-17 have been considered but are moot in view of the new ground(s) of rejection.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to YUK CHOW whose telephone number is (571)270-1544. The examiner can normally be reached on 8-6 M-TH E.T..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amare Mengistu can be reached on 571 272-7674. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/535,673 Page 7

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Y. C./ Examiner, Art Unit 2629

> /Amare Mengistu/ Supervisory Patent Examiner, Art Unit 2629